



# DATASHEET



## Hulk S-Series Clip

**Function:** The S-Series Clip Clip is a hidden fixing used to secure boards with a central milled profile. Screws are available for composite, timber and aluminium joists. Each clip consists of a stainless-steel skeleton wrapped in a polymer coating, this polymer also forms the base and collation for the clips.

Will fit boards manufactured with a standard side milling profile, the teeth of the clips grip into the grooves at the sides to hold deck boards in place securely without need for top screws or any visible fixings.


The hooks are 7mm high and provide a 5.8mm gap between each deck board and ensure uniform spacing.

**\*\*Your Account Manager can provide datasheets for any other products mentioned in this datasheet.**

CLIP & SCREW  
FOR TIMBER FRAMES



CLIP & SCREW  
FOR METAL FRAMES






# DATASHEET

## S-SERIES hidden fastener

Use the S9 fastener for a foot height between 8.5 and 9.25 mm on metal or timber structures.



Use the S6 fastener for a foot height between 5.5 and 6.25 mm on metal or timber structures.

Description	Metric	Imperial	Coating	g/Fastener	Material
S9	18 x 38 x 9 mm	3/4" x 1 1/2" x 3/8"	Enamel	6	SS430
S6	18 x 38 x 6 mm	3/4" x 1 1/2" x 1/4"	Enamel	6	SS430

## TIMBER clip screw


Use the timber clip screw for fastening HULK hidden fasteners onto timber frames without having to pre-drill unless specified by decking manufacturer. It is suitable for softwood and most hardwoods frames. Pre-drilling may be required for dense hardwood frames.



Description	Metric	Imperial	Coating	g/Fastener	Material	Bit
Carbon steel	4.2 x 42 mm	#8 x 1 1/2"	Zinc-epoxy coating	2.00	C1022	T 15
Stainless steel	4.2 x 42 mm	#8 x 1 1/2"	Zinc-epoxy coating	2.00	SS316	T 15

## METAL clip screw

Use the metal clip screw for fastening HULK hidden fasteners onto metal frames without having to pre-drill unless specified by decking manufacturer. It is suitable for metal frames between 0.8 to 2.5 mm. Pre-drilling may be required with gauges greater than 2.0 mm.



Description	Metric	Imperial	Coating	g/Fastener	Material	Bit
Carbon steel	4.2 x 31 mm	#8 x 1 1/2"	Zinc-epoxy coating	2.00	C1022	T 15



## DATASHEET

Technical Data	
<b>Fire Rating:</b>	Class A2
<b>Compatibility:</b>	They can be used with decking boards manufactured with standard milling side profile.
<b>Range:</b>	Hulk Series S 6 & 9
<b>Clip Dimensions:</b>	18 x 38 x 9mm
<b>Clip Base Width:</b>	5.8mm
<b>Performance:</b>	Resistant to deterioration by UV light, damp and normal atmospheric conditions in the long term.
<b>Material:</b>	Stainless steel with zinc epoxy resin.
<b>Recycled:</b>	No
<b>Recyclable:</b>	Yes
<b>Accessories:</b>	2 Hook Start/End Clip (Datasheet Available) Wallbarn stainless steel self tapping screw for aluminium joists Wallbarn wood/wpc screw for timber & composite joists

Item	URL
S-Series Clip	